Hide Columns in Your Class Listings Tables

Last Modified on 12/16/2020 9:40 am EST

Watch a (2:48) video tutorial on how to Hide or Add Columns in Class Listings Tables

Once you have your table **filtered** to your desired results, you may want to hide some of the columns.

The standard code will provide a table showing these 12 columns automatically, in this order left to right:

Register	Class	Description	Days	Times	Gender	Ages	Openings	Class Starts	Class Ends	Session	Tuition

To hide any of these columns, you will use&hidecols=x where x is one of the targets listed below.

Targets you can use to hide columns

- Class
- Description
- Days
- Times
- Gender
- Ages
- Openings
- StartDate (use StartDate instead of Class Starts)
- EndDate (use EndDate instead of Class Ends)
- Session
- Tuition

Multiple targets can be used by separating them with a comma.

Example - hide the Description, Gender, Openings, EndDate and Session columns...

&hidecols=Description,Gender,Openings,EndDate,Session

https://app.jackrabbitclass.com/jr3.0/Openings/OpeningsJS?

 $OrgID = 507172\&Cat1 = Cottontail \\ \& hidecols = Description, Gender, Openings, End Date, Session \\$



The example code above shows only the url source part of the code. If you are embedding the table directly into your webpage you will need to include this url source code into the full scripting html. Refer to **Create Custom Class Listing Tables in 4 Steps**for details on

using the full script.

Table created from hiding the columns above:

Register	Class	Days	Times	Ages	Class Starts	Tuition
Waitlist	Cottontail Kick Intro	Wed	1:00 pm-2:00 pm	1 - 3	08/01/2015	25.00
Register	Cottontail Kick Intro	Thu	1:00 pm-2:00 pm	1 - 3	08/01/2015	25.00
Register	Cottontail Kick	Tue	4:00 pm-5:00 pm	3 - 5	08/01/2015	25.00
Register	Cottontail Kick	Wed	3:00 pm-4:00 pm	3 - 5	08/01/2015	25.00
Register	Cottontail Kick Extreme	Tue	1:00 pm-2:00 pm	6 - 11	01/10/2015	30.00
Register	Cottontail Kick Extreme	Wed	2:00 pm-3:00 pm	6 - 8	01/10/2015	30.00